
E2000 Adapters





Our high quality E2000 Adaptors which have high precision alignment sleeves for reliability and better reconnectability and an inbuilt mechanism to open the shutter and guide the ferrule in the alignment sleeve. E2000 Adaptors come with a ceramic sleeves for single mode and multimode. The housing is available in blue, green or beige with a flanged or flangeless body option.

FEATURES/BENEFITS

- Complies with IEC 61754-15
- High precision alignment sleeve
- · Low insertion loss and high reconnectability
- RoHS, REACH SvHC compliant
- Genuine Reichle & deMassari (R&M) products
- Huber+Suhner adapters available on special request


APPLICATIONS

- Suitable for high power laser applications
- Telecommunications networks
- WDM, DWDM applications
- Testing and measurement equipment

SPECIFICATIONS

	CERAMIC	CONFORMANCE	
Insertion Loss (Typ)	0.1 dB	IEC 61300-3-4	
Mating Durability	500	IEC 61300-2-2	
Receptacle Retention Force	2 N - 5.9 N	IEC 61754-20	
Operating Temperature	-25 to +70 °C, 12 cycles	IEC 61300-2-22	

TECHNICAL DRAWING



ORDERING INFORMATION

DESCRIPTION	PART NUMBER	
Flang	e with two holes SC footprint	
Single mode APC - Green	E2APCUGREEN	
Single mode PC - Blue	E2UBLUE	
Multimode PC - Beige	E2UBEIGE	
Fla	angeless with SC footprint	
Single mode APC - Green	E2APCUGREEN/FL	
Single mode PC - Blue	E2UBLUE/FL	
Multimode PC - Beige	E2UBEIGE/FL	



FURTHER INFORMATION

- For additional information please contact your sales representative
- To view the product 360 visit the product page (Scan the QR code or visit the link below)
- Downloaded from https://www.aflhyperscale.com/product/e2000-adapters
- AFL Hyperscale reserves the right to make changes in this datasheet at any time without notice
- Information in this document is correct as of February 26, 2019

+1 800 790 9932 usasales@aflhyperscale.com

India

Middle East & Africa